



# NACHI BEARING INDIA PRIVATE LTD.

## SR30W1SSC1(GK) THK Radial Linear Guide (Block Only) Interchangeable SR Series

Bearing No. SR30W1SSC1(GK)

SR30W1SSC1(GK) Bearing 2D drawings and 3D CAD models

|                                       |                                       |
|---------------------------------------|---------------------------------------|
| Days to Ship                          | Same Day                              |
| RoHS                                  | 10                                    |
| Block Type                            | [Standard] W: Standard                |
| Nominal Part Number                   | 30                                    |
| Mounting Height M                     | 42 mm                                 |
| Material                              | Carbon Steel                          |
| Radial Clearance                      | Light Preload                         |
| Rolling Element                       | Ball                                  |
| Basic Load Rating Dynamic Rating C(N) | 30000                                 |
| Basic Load Rating Static Rating Co(N) | 56800                                 |
| Allowable Static Moment MA(N m)       | 494                                   |
| Allowable Static Moment MB(N m)       | 303                                   |
| Allowable Static Moment MC(N m)       | 611                                   |
| Symbols for Dust Resistance           | SS: End and Side Seal (Best Leadtime) |
| Block external dimension W            | 60 mm                                 |
| Block external dimension L            | 96.8 mm                               |
| Mounting hole for blocks              | Tapped Holes                          |
| Number of Block Mounting Holes(holes) | 4                                     |
| Mounting Hole Dimension S(M)          | M8                                    |
|                                       |                                       |



## NACHI BEARING INDIA PRIVATE LTD.

|                              |         |
|------------------------------|---------|
| Mounting Hole Screw<br>Depth | 12 mm   |
| Block dimension L1           | 69.3 mm |